

# System-Level Programming

## 9 Functions

**J. Kleinöder, D. Lohmann, V. Sieh, P. Wägemann**

Lehrstuhl für Informatik 4  
Systemsoftware

Friedrich-Alexander-Universität  
Erlangen-Nürnberg

Summer Term 2024

<http://sys.cs.fau.de/lehre/ss24>



# What is a Function?

- **Function** := subprogram
  - program piece (block) that has an **identifier**
  - **parameter** can be passed when calling the function
  - a **return value** can be passed after finishing
- Functions are elementary program pieces
  - structure extensive tasks in smaller, manageable components
  - enable a simple reuse of components
  - enable a simple exchange of components
  - hide implementation details: **black-box** principle



# What is a Function?

- **Function** := subprogram
  - program piece (block) that has an **identifier**
  - **parameter** can be passed when calling the function
  - a **return value** can be passed after finishing
- Functions are elementary program pieces
  - structure extensive tasks in smaller, manageable components
  - enable a simple reuse of components
  - enable a simple exchange of components
  - hide implementation details: **black-box** principle

function  $\mapsto$  abstraction

$\hookrightarrow$  ??

- Identifier and parameters **abstract**
  - from the actual program piece
  - from the representation and usage of data
- Enables a step-by-step abstraction and refinement



# Example

- Function (abstraction) `sb_led_setMask()`

```
#include <led.h>
void main(void) {
    sb_led_setMask(0xaa);
    while(1) {}
}
```



- Implementation in `libspicboard`

```
void sb_led_setMask(uint8_t setting)
```

**visible:**

identifier & formal parameters



# Example

- Function (abstraction) `sb_led_setMask()`

```
#include <led.h>
void main(void) {
    sb_led_setMask(0xaa);
    while(1) {}
}
```



- Implementation in `libspicboard`

```
void sb_led_setMask(uint8_t setting)
```

**visible:**

identifier & formal parameters

```
{
    uint8_t i = 0;
    for (i = 0; i < 8; i++) {
        if ((setting >> i) & 1) {
            sb_led_on(i);
        } else {
            sb_led_off(i);
        }
    }
}
```

**not visible:**

actual implementation



- Syntax: `type identifier ( formalParamopt ) {block}`
  - `type` type of the returned value, `void` if nothing is returned [ =Java ]
  - `identifier` name of the function, which is used for calling it ↔ [??]  
[ =Java ]
  - `formalParamopt` list of formal parameters:  
`type1 id1 opt, ..., typen idn opt` [ =Java ]  
(parameter identifiers are optional)  
`void`, if no parameter is expected [ ≠Java ]
  - `{block}` implementation; formal parameters can be used as local variables [ =Java ]
- Examples:

```
int max(int a, int b) {
    if (a > b) return a;
    return b;
}
```

```
void wait(void) {
    volatile uint16_t w;
    for (w = 0; w < 0xffff; w++) {
    }
}
```



- Syntax: *identifier* ( *actParam* )
  - *identifier* name of the function to be jumped into
  - *actParam* list of actual parameters (passed values, have to be compatible in type and count to the list of formal parameters) [=Java]

- Examples:

```
int x = max(47, 11);
```

Call of the `max()` function. 47 and 11 are the **actual parameters**, which are mapped to the formal parameters `a` and `b` of the `max()`-function (↔ 9-4).

```
char text[] = "Hello, World";  
int x = max(47, text);
```

**Error:** text is not promotable to type `int`  
**actual parameter** 2 does not match definition of formal parameter `b` (↔ 9-4)

```
max(48, 12);
```

The returned value can be ignored (even though it makes no sense here)



## ■ General types of parameter passing

### ■ *call by value*

Formal parameters are copies of the actual parameters. Changes made to the formal parameters are lost when the function is exited.

**This is the standard case in C.**

### ■ *call by reference*

Formal parameters are references to the actual parameters. Changes made to the formal parameters directly affect the actual parameters as well.

**In C possible with the help of pointers.**

↪ ??

## ■ Note:

### ■ arrays are always passed *by reference*

[=Java]

### ■ the order in which parameters are evaluated is **undefined!**

[≠Java]



- Functions can call themselves (recursion)

```
int fak(int n) {  
    if (n > 1)  
        return n * fak(n - 1);  
    return 1;  
}
```

Recursive definition of the factorial function.



- Functions can call themselves (recursion)

```
int fak(int n) {  
    if (n > 1)  
        return n * fak(n - 1);  
    return 1;  
}
```

Recursive definition of the factorial function.

A descriptive but **really bad example** for the use of recursion!



- Functions can call themselves (recursion)

```
int fak(int n) {  
    if (n > 1)  
        return n * fak(n - 1);  
    return 1;  
}
```

Recursive definition of the factorial function.

A descriptive but **really bad example** for the use of recursion!

## recursion ↪ \$\$\$

Recursion leads to a significant **runtime and memory cost!**

For each recursion step:

- Memory has to be provided for: return address, parameters and all local variables
- Parameter are copied, and a function call is performed

**Rule:** When possible, **avoid any recursion** when writing system-level code!



- Functions have to be **declared** ( $\mapsto$  made known) in the source code prior to being used
  - When defining a function upfront, this definition serves as declaration
  - Otherwise, (if the function is implemented “further below” in the source code or is defined in another module) it has to be **declared explicitly**
- Syntax: `type identifier ( formalParam );`
- Example:

```
// declaration by definition
int max(int a, int b) {
    if (a > b) return a;
    return b;
}

void main(void) {
    int z = max(47, 11);
}
```

```
// explicit declaration
int max(int, int);

void main(void) {
    int z = max(47, 11);
}

int max(int a, int b) {
    if (a > b) return a;
    return b;
}
```



- Functions shall **should** be declared in the code prior to being used



- Functions shall **should** be **declared** in the code prior to being used

**Attention:** C does not enforce this!

- Possibility to call functions that are **not declared**  
(↪ implicit declaration)
- Such calls are however **not type-safe**
  - the compiler does not know the list of formal parameters  
↪ it cannot verify whether the actual parameters match
  - Possibility to pass **anything**
- Modern compilers at least generate a **warning**  
↪ Always take compiler warnings seriously!



- Functions shall **should** be **declared** in the code prior to being used
- **Example:**

```
#include <stdio.h>

int main(void) {
    double d = 47.11;
    foo(d);
    return 0;
}

void foo(int a, int b) {
    printf("foo: a:%d, b:%d\n", a, b);
}
```



- Functions shall **should** be **declared** in the code prior to being used
- **Example:**

```
#include <stdio.h>

int main(void) {
    double d = 47.11;
    foo(d);
    return 0;
}

void foo(int a, int b) {
    printf("foo: a:%d, b:%d\n", a, b);
}
```

Function `foo()` is not **declared**  
→ the compiler **warns**, but accepts any actual parameters





- Functions shall **should** be **declared** in the code prior to being used
- **Example:**

```
#include <stdio.h>
```

```
int main(void) {  
    double d = 47.11;  
    foo(d);  
    return 0;  
}
```

```
void foo(int a, int b) {  
    printf("foo: a:%d, b:%d\n", a, b);  
}
```

foo() is **defined** with formal parameters (int, int). Everything that is passed as actual parameters will be interpreted as int!



- Functions shall **should** be declared in the code prior to being used
- **Example:**

```
#include <stdio.h>

int main(void) {
    double d = 47.11;
    foo(d);
    return 0;
}

void foo(int a, int b) {
    printf("foo: a:%d, b:%d\n", a, b);
}
```

What will be printed?



- Functions shall **should** be **declared** in the code prior to being used
  - Functions that are declared with an **empty list of formal parameters** will also accept any parameter  $\rightsquigarrow$  **no type safety**
  - The compiler does **not** warn in this case. The problems remain!



- Functions shall **should** be **declared** in the code prior to being used
  - Functions that are declared with an **empty list of formal parameters** will also accept any parameter  $\leadsto$  **no type safety**
  - The compiler does **not** warn in this case. The problems remain!
- **Example:**

```
#include <stdio.h>

void foo(); // "open" declaration

int main(void) {
    double d = 47.11;
    foo(d);
    return 0;
}

void foo(int a, int b) {
    printf("foo: a:%d, b:%d\n", a, b);
}
```

Function `foo()` has been declared with **empty** list of formal parameters  $\leadsto$  this is a formally **valid call!**



- Functions shall **should** be **declared** in the code prior to being used
  - Functions that are declared with an **empty list of formal parameters** will also accept any parameter  $\rightsquigarrow$  **no type safety**
  - The compiler does **not** warn in this case. The problems remain!

## Attention: Risk of confusion

- In Java, `void foo()` would define a **parameterless** method
  - In C, one has to explicitly write `void foo(void)`  $\leftrightarrow$  9-4
- In C, `void foo()` declares an **open** function
  - This is only useful in (rare) cases!
  - Generally it is considered bad style  $\rightsquigarrow$  point deduction

**Rule:** Functions always need to be **declared completely!**



- [GDI] Frank Bauer. *Grundlagen der Informatik. Vorlesung.* Friedrich-Alexander-Universität Erlangen-Nürnberg, Lehrstuhl für Informatik 5, 2015 (jährlich). URL: <https://gdi.cs.fau.de/w15/material>.

